## **SAFETY DATA SHEET**

Date of issue/Date of revision

: 16 May 2025

Version

: 6

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: PROMINENT PAINTS SELECT SHEEN
Product code	: FZA003989
Product type	: Liquid.

Other means of identification

FZA003987; FZA003988; FZA003990; FZA003991; FZA003992

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

	Identified uses	
Professional spray painting, indoor (Level I & II)		
Product use	: Consumer applications, Professional applications, Used by spraying, Application by non spray methods	
I.3 Details of the supp	lier of the safety data sheet	
Prominent Paints 11 Dan Jacobs Street.		
	6, Alberton North 1456	
South Africa		
Tel: 0027 113 89 46 00		
Fax: 0027 113 89 46 4	1	
e-mail address of per	son : Customercare@prominentpaints.co.za	

e-mail address of person : Customercare@prominentpaints.co.za responsible for this SDS

1.4 Emergency telephone : +27 86 177 66 46 number

## **SECTION 2: Hazards identification**

2.1 Classification of the sub	stance or mixture
Product definition	: Mixture
Classification according to	Regulation (EC) No. 1272/2008 [CLP/GHS]
Skin Sens. 1, H317 Aquatic Chronic 3, H412	
The product is classified as h	nazardous according to Regulation (EC) 1272/2008 as amended.
See Section 16 for the full te	ext of the H statements declared above.
See Section 11 for more deta	ailed information on health effects and symptoms.

2.2 Label elements Hazard pictograms



## **SECTION 2: Hazards identification**

Signal word	1	Warning
Hazard statements	1	May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
Precautionary statements		
General	1	Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	1	Wear protective gloves. Avoid release to the environment. Avoid breathing vapour.
Response	1	Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention.
Storage	1	Not applicable.
Disposal	-	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	1	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1)
Supplemental label elements	1	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requirem	nen	ts
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	1	Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB	:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	:	None known.

## **SECTION 3: Composition/information on ingredients**

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
propane-1,2-diol	REACH #: 01-2119456809-23 EC: 200-338-0 CAS: 57-55-6	≥1.0 - ≤5.0	Not classified.	-	[2]
reaction mass of 5-chloro- 2-methyl-2H-isothiazol- 3-one and 2-methyl-2H- isothiazol-3-one (3:1)	REACH #: 01-2120764691-48 EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5	<0.025	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 53 mg/kg ATE [Dermal] = 50 mg/ kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: $C \ge 0.6\%$ Skin Irrit. 2, H315:	[1]
		English	(GB) South	Africa	2/12

Conforms to Regulation (EC) No. 1907/2006 ( Code : 12522DSA0126 PROMINENT PAINTS SELECT SHEEN	(REACH), Annex II Date of issue/Date of revision	: 16 May 2025
SECTION 3: Composition/inform	nation on ingredients	
	Eye ≥ 0 Eye 0.0 Ski ≥ 0 M [.	$6\% \le C < 0.6\%$ e Dam. 1, H318: C .6% e Irrit. 2, H319: $6\% \le C < 0.6\%$ n Sens. 1, H317: C .0015% Acute] = 100 Chronic] = 100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

statements declared

above.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

#### SUB codes represent substances without registered CAS Numbers.

## **SECTION 4: First aid measures**

4.1 Description of first aid m	neasures
Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and	effects, both acute and delayed
---------------------------------	---------------------------------

#### Potential acute health effects Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. **Skin contact** : May cause an allergic skin reaction. Ingestion : No known significant effects or critical hazards. **Over-exposure signs/symptoms** Eye contact : No specific data. Inhalation : No specific data. **Skin contact** : Adverse symptoms may include the following: irritation redness : No specific data. Ingestion

#### 4.3 Indication of any immediate medical attention and special treatment needed

English (GB)

Conforms to Regulation (EC) Code : 12522DSA012	
PROMINENT PAINTS SELECT	
SECTION 4: First aid	measures
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
<b>SECTION 5: Firefight</b>	ing measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising fr	om the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	: Decomposition products may include the following materials: carbon oxides metal oxide/oxides Formaldehyde.
5.3 Advice for firefighters	
Special precautions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SECTION 6: Acciden	tal roloaso moasuros

6.1 Personal precautions, pro	ptective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3 Methods and material for	containment and cleaning up

Small spill
 Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

<b>Conforms to Regulation (E</b>	C) No. 1907/2006 (REACH), Annex II
Code : 12522DSA	Date of issue/Date of revision: 16 May 2025
PROMINENT PAINTS SEL	ECT SHEEN
SECTION 6: Accide	ental release measures
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product.
6.4 Reference to other sections	<ul> <li>See Section 1 for emergency contact information.</li> <li>See Section 8 for information on appropriate personal protective equipment.</li> <li>See Section 13 for additional waste treatment information.</li> </ul>

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 5 to 35°C (41 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

See Section 1.2 for Identified uses.

Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
propane-1,2-diol	<b>IPEL (-).</b> TWA: 10 mg/m <sup>3</sup>

English (GB)	South Africa	5/12

Conforms to Regulation (EC)	o. 1907/2006 (REACH), Annex II	
Code : 12522DSA012	Date of issue/Date of revision : 16 May 2025	;
PROMINENT PAINTS SELEC	SHEEN	
<b>SECTION 8: Exposu</b>	controls/personal protection	
Recommended monitoring procedures	: Reference should be made to monitoring standards, such as the following: Europe Standard EN 689 (Workplace atmospheres - Guidance for the assessment of expo by inhalation to chemical agents for comparison with limit values and measureme strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical an biological agents) European Standard EN 482 (Workplace atmospheres - Genera requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determina of hazardous substances will also be required.	osure ent nd al
8.2 Exposure controls		
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborn contaminants.	e
Individual protection measu	—	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	
Eye/face protection Skin protection	: Safety glasses with side shields.	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard shou worn at all times when handling chemical products if a risk assessment indicates the necessary. Considering the parameters specified by the glove manufacturer, che during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different for the glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recommende When only brief contact is expected, a glove with a protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommende The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of as included in the user's risk assessment.	this is eck pe ferent he r ded. ed. is
Gloves	nitrile rubber, butyl rubber, PVC, Viton®	
Body protection	: Personal protective equipment for the body should be selected based on the task to performed and the risks involved and should be approved by a specialist before handling this product.	being
Other skin protection	Appropriate footwear and any additional skin protection measures should be select based on the task being performed and the risks involved and should be approved specialist before handling this product.	
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If wo are exposed to concentrations above the exposure limit, they must use appropriat certified respirators. Use a properly fitted, air-purifying or air-fed respirator comply with an approved standard if a risk assessment indicates this is necessary.	orkers ite,
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensurt they comply with the requirements of environmental protection legislation. In som cases, fume scrubbers, filters or engineering modifications to the process equipme will be necessary to reduce emissions to acceptable levels.	ne

Code : 12522DSA0126 PROMINENT PAINTS SELECT SHEEN Date of issue/Date of revision

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

	•	•	•		•				
9.1 Information on basic physical	l an	d chemical properti	es						
Appearance									
Physical state	:	Liquid.							
Colour	:	Various							
Odour	:	: Faint odour.							
Odour threshold	÷	Not available.							
Melting point/freezing point		: May start to solidify at the following temperature: 0°C (32°F) This is based on data for the following ingredient: water. Weighted average: -4.7°C (23.5°F)							
Initial boiling point and boiling range	:	>37.78°C							
Flammability	:	Not available.							
Upper/lower flammability or explosive limits	:	Not applicable.							
Flash point	:	Closed cup: Not appli	cable. [P	roduct do	es not :	sustain	combus	stion.]	
Auto-ignition temperature	:	Ingredient name		°C		°F		Method	
		propane-1,2-diol		371		699.8			
Decomposition temperature		Stable under recomm	ended st	orage and	d handl	ing cor	ditions	(see Sect	ion 7).
рН		Not available.							
Viscosity	1	Kinematic (40°C): >2	1 mm²/s						
Solubility(ies)	4	1							
Media		Result							
cold water		Partially soluble							
Partition coefficient: n-octanol/ water	:	Not applicable.							
Vapour pressure	:		Vapou	ur Pressu	ire at 2	0°C	Vap	our press	sure at 50°C
		Ingredient name	mm Hg	kPa	Meth	od	mm Hg	kPa	Method
		water	23.8	3.2					
Evaporation rate Relative density		0.01 (propane-1,2-dic 1.17	ol) compa	red with b	outyl ac	etate			
Vapour density	:	Highest known value 2,2,4-trimethylpenta							
Explosive properties	1	Not available.							
Oxidising properties	: Product does not present an oxidizing hazard.								
Particle characteristics									
Median particle size Lead content		Not applicable. Complies with the Sou	uth Africa	n legal lea	ad limit	of 90p	pm or le	ess	
9.2 Other information									
No additional information.									

Code : 12522DSA012	6 Date of issue/Date of revision : 16 May 2025					
PROMINENT PAINTS SELECT SHEEN						
<b>SECTION 10: Stabilit</b>	y and reactivity					
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.					
10.2 Chemical stability	: The product is stable.					
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.					
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.					
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.					
10.6 Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials: carbon oxides Formaldehyde. metal oxide/oxides					

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## Acute toxicity

Product/ingredient nar	ne	Result	Species	Dose	Exposure
<i>i</i>		LD50 Dermal LD50 Oral	Rabbit Rat	20800 mg/kg 20 g/kg	-
eaction mass of: 5-chloro-2-methyl- -isothiazolin-3-one [EC no. 247-500-7] nd 2-methyl-2H-isothiazol-3-one [EC no. 20-239-6] (3:1)		LD50 Oral	Rat	53 mg/kg	-
Conclusion/Summary :	There are	no data available on the mixtu	re itself.		
rritation/Corrosion					
Conclusion/Summary					
Skin :	There are r	no data available on the mixtur	re itself.		
Eyes :	There are r	no data available on the mixtur	re itself.		
Respiratory :	There are r	o data available on the mixtur	e itself.		
<u>Sensitisation</u>					
Conclusion/Summary					
Skin :	There are	no data available on the mixtu	ire itself.		
Respiratory :	There are	no data available on the mixtu	re itself.		
<u>Mutagenicity</u>					
Conclusion/Summary :	There are	no data available on the mixtu	ire itself.		
Carcinogenicity					
Conclusion/Summary :	There are	no data available on the mixtu	ire itself.		
Reproductive toxicity					
Conclusion/Summary :	There are	no data available on the mixtu	re itself.		
<u>Feratogenicity</u>					
Conclusion/Summary :	There are	no data available on the mixtu	re itself.		
Specific target organ toxicity (	single expo	sure)			
Not available.					
Specific target organ toxicity (	ronostod ov				

Code : 12522DSA012	6	1907/2006 (REACH), Annex II         Date of issue/Date of revision       : 16 May 2025
PROMINENT PAINTS SELECT	S	HEEN
SECTION 11: Toxicol	O	gical information
Not available.		
Aspiration hazard		
Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effect	<u>s</u>	
Inhalation	1	No known significant effects or critical hazards.
Ingestion	1	No known significant effects or critical hazards.
Skin contact	:	May cause an allergic skin reaction.
Eye contact	1	No known significant effects or critical hazards.
Symptoms related to the phy	/si	cal, chemical and toxicological characteristics
Inhalation	1	No specific data.
Ingestion	1	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Eye contact	1	No specific data.
Delayed and immediate effe	cts	as well as chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	1	Not available.
Potential chronic health effe	cts	
Not available.		
Conclusion/Summary	:	Not available.
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Reproductive toxicity	:	No known significant effects or critical hazards.
Other information	:	Not available.
Contains isothiazolinones. Ma		cause allergic reaction. Contains a substance that may emit formaldehyde if stored g cure at curing temperatures greater than 60C/140F.

## 11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

**11.2.2 Other information** 

Not available.

PROMINENT PAINTS SELECT SHEEN

: 12522DSA0126

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Code

Product/ingredient name	Result	Species	Exposure
propane-1,2-diol	Acute LC50 40613 mg/l	Fish	96 hours
Conclusion/Summary There or	a na data available on the mixture itself	•	· · · ·

**Conclusion/Summary** : There are no data available on the mixture itself.

## 12.2 Persistence and degradability

**Conclusion/Summary** : There are no data available on the mixture itself.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
propane-1,2-diol	-	-	Readily

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
propane-1,2-diol	-1.07	-	low

### 12.4 Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### 12.6 Endocrine disrupting properties

Not available.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II					
Code : 12522DSA0126		Date of issue/Date of revision	: 16 May 2025		
PROMINENT PAINTS SELECT SHEEN					
SECTION 13: Disposal considerations					
Type of packaging         European waste catalogue (EWC)					
	Container	15 01 06	mixed packaging		
Special precautions : This material and its container must be dis			and its container must be disposed of in a safe w	vav. Care should be	

I his material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

#### **Additional information**

ADR/RID	: None identified.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

# **14.6 Special precautions for user**: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

 14.7 Transport in bulk
 : Not applicable.

 according to IMO
 instruments

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II		
Code : 12522DSA0126	Date of issue/Date of revision	: 16 May 2025
PROMINENT PAINTS SELECT SHEEN		
SECTION 15: Regulatory information		
Other national and international regulations.		
Ozone depleting substances (1005/2009/EU)		
Not listed.		
Biocidal products regulation : Contains a biocidal product; C(M)IT/MIT (3:1)		
15.2 Chemical safety       : No Chemical Safety Assessment has been carried out.         assessment		

## **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

	nuo onungeu nom previouory i	
Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number</li> </ul>	
Full text of abbreviated H statements	H317May cause an aH318Causes seriousH330Fatal if inhaled.H400Very toxic to aqH410Very toxic to aq	with skin. skin burns and eye damage. allergic skin reaction. eye damage. uatic life. uatic life with long lasting effects. atic life with long lasting effects.
Full text of classifications [CLP/GHS]	: Acute Tox. 2 Acute Tox. 3 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 3 Eye Dam. 1 Skin Corr. 1C Skin Sens. 1 Skin Sens. 1A	ACUTE TOXICITY - Category 2 ACUTE TOXICITY - Category 3 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 SKIN CORROSION/IRRITATION - Category 1C SKIN SENSITISATION - Category 1 SKIN SENSITISATION - Category 1
History		
<u>History</u>	- 40 May 0005	
Date of issue/ Date of revision	: 16 May 2025	
Date of previous issue	: 15 February 2023	
Prepared by	: EHS	
Version	: 6	
<u>Disclaimer</u>		

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.