Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

**SAFETY DATA SHEET** 

Date of issue/Date of revision

: 16 May 2025

Version

: 6

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: PROMINENT PAINTS SELECT TEXTURED
Product code	: FZA004000
Product type	: Liquid.
Other means of ident	ification
FZA003999	
1.2 Relevant identified	uses of the substance or mixture and uses advised against
Product use	: Consumer applications, Professional applications, Used by spraying, Application by non spray methods

	spray methods
Use of the substance/ mixture	: Coating.

### 1.3 Details of the supplier of the safety data sheet

Prominent Paints 11 Dan Jacobs Street,	
Alrode, PO Box 136166, Albe	erton North 1456
South Africa	
Tel: 0027 113 89 46 00	
Fax: 0027 113 89 46 41	
e-mail address of person responsible for this SDS	: Customercare@prominentpaints.co.za
1.4 Emergency telephone	: +27 86 177 66 46

number

### **SECTION 2: Hazards identification**

1	2.1 Classification of the substance or mixture
	Product definition : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]
	Skin Sens. 1, H317 Aquatic Chronic 3, H412
	The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.
	See Section 16 for the full text of the H statements declared above.
	See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements Hazard pictograms



: Warning

÷.

Signal word Hazard statements

May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

**Precautionary statements** 

English (GB)

<b>Conforms to Regulation (EC)</b>	o. 1907/2006 (REACH), Annex II
Code : 12522DSA012	Date of issue/Date of revision : 16 May 2025
PROMINENT PAINTS SELEC	TEXTURED
<b>SECTION 2: Hazards</b>	dentification
General	: Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Wear protective gloves. Avoid release to the environment. Avoid breathing vapour.
Response	: Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention.
Storage	: Not applicable.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1)
Supplemental label elements	: Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	<u>nts</u>
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do	: None known.

not result in classification

# SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
propane-1,2-diol	REACH #: 01-2119456809-23 EC: 200-338-0 CAS: 57-55-6	≥1.0 - ≤5.0	Not classified.	-	[2]
reaction mass of 5-chloro- 2-methyl-2H-isothiazol- 3-one and 2-methyl-2H- isothiazol-3-one (3:1)	REACH #: 01-2120764691-48 EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5	<0.025	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	ATE [Oral] = 53 mg/kg ATE [Dermal] = 50 mg/ kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: C ≥ 0.6% Skin Irrit. 2, H315: 0.06% ≤ C < 0.6% Eye Dam. 1, H318: C ≥ 0.6% Eye Irrit. 2, H319: 0.06% ≤ C < 0.6%	[1]
	•	English	(GB) South	Africa	2/12

<u>Conforms to F</u>	Regulation (EC	<u>) No. 1907/2006 (REA</u>	<u>CH), Annex</u>			
Code	Code : 12522DSA0127		Da	ate of issue/Date of revision	on : 16 May 2025	
PROMINENT	PROMINENT PAINTS SELECT TEXTURED					
SECTION	3: Compo	sition/informat	ion on ir	ngredients		
				See Section 16 for the full text of the H statements declared above.	Skin Sens. 1, H317: C ≥ 0.0015% M [Acute] = 100 M [Chronic] = 100	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

### SUB codes represent substances without registered CAS Numbers.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects	
Eye contact	lo known significant effects or critical hazards.
Inhalation	lo known significant effects or critical hazards.
Skin contact	lay cause an allergic skin reaction.
Ingestion	lo known significant effects or critical hazards.
Over-exposure signs/sympto	
Eye contact	No specific data.
Inhalation	No specific data.
Skin contact	Adverse symptoms may include the following: irritation redness
Ingestion	No specific data.
4.3 Indication of any immediat	edical attention and special treatment needed
Notes to physician	reat symptomatically. Contact poison treatment specialist immediately if large uantities have been ingested or inhaled.
Specific treatments	lo specific treatment.

Conforms to Regulation (EC)	No. 1907/2006 (REAC	CH), Annex II					
Code : 12522DSA012		Date of issue/Date of revision	: 16 May 2025				
PROMINENT PAINTS SELECT TEXTURED							
SECTION 5: Firefigh	ting measures						
5.1 Extinguishing media							
Suitable extinguishing media	: Use an extinguishi	ing agent suitable for the surrounding fire.					
Unsuitable extinguishing media	: None known.	None known.					
5.2 Special hazards arising f	rom the substance or	mixture					
Hazards from the substance or mixture	material is harmfu	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.					
Hazardous combustion products	: Decomposition pro carbon oxides metal oxide/oxides Formaldehyde.	oducts may include the following materials: s					
5.3 Advice for firefighters							
Special precautions for fire-fighters		ne scene by removing all persons from the v action shall be taken involving any personal					
Special protective equipment for fire-fighters	apparatus (SCBA) for fire-fighters (inc	d wear appropriate protective equipment and ) with a full face-piece operated in positive p cluding helmets, protective boots and gloves will provide a basic level of protection for cha	ressure mode. Clothing conforming to European				

### 6.1 Personal precautions, protective equipment and emergency procedures

err i ereeriai preedanerie, pre		and equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	•	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3 Methods and material for o	col	ntainment and cleaning up
Small spill	-	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	-	Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product.

4/12

<b>Conforms to Regulation</b>	(EC) No. 1907/2006 (REAC	H), Annex II			
Code : 12522DS	A0127	Date of issue/Date of revision	: 16 May 2025		
PROMINENT PAINTS SE	PROMINENT PAINTS SELECT TEXTURED				
<b>SECTION 6: Acci</b>	dental release mea	sures			
6.4 Reference to other sections		emergency contact information. nformation on appropriate personal protecti	ve equipment.		

### See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 5 to 35°C (41 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
7.0.0	

### 7.3 Specific end use(s)

See Section 1.2 for Identified uses.

Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

### **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 8.1 Control parameters

### Occupational exposure limits

Product/ingredient name		Exposure limit values	
propane-1,2-diol		<b>IPEL (-).</b> TWA: 10 mg/m <sup>3</sup>	
Recommended monitoring procedures	Standard EN 689 by inhalation to c strategy) Europe application and u biological agents requirements for agents) Reference	d be made to monitoring standards, such as the following: European (Workplace atmospheres - Guidance for the assessment of exposure themical agents for comparison with limit values and measurement ean Standard EN 14042 (Workplace atmospheres - Guide for the use of procedures for the assessment of exposure to chemical and ) European Standard EN 482 (Workplace atmospheres - General the performance of procedures for the measurement of chemical ce to national guidance documents for methods for the determination ostances will also be required.	

English (GB)	South Africa	5/12

Code : 12522DSA0127 PROMINENT PAINTS SELECT TEXTURED Date of issue/Date of revision

### **SECTION 8: Exposure controls/personal protection**

8.2 Exposure controls		
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measu	ires	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection Skin protection	:	Safety glasses with side shields.
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommended. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
Gloves	1	nitrile rubber, butyl rubber, PVC, Viton®
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection		Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	-	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: Various
Odour	: Faint odour.
Odour threshold	: Not available.
Melting point/freezing point	:

Conforms to Regulation (EC) No	. 190	7/2006 (REACH), Ar	nnex II					
Code : 12522DSA0127			Date of	issue/D	ate of revision	on	: 16 M	ay 2025
PROMINENT PAINTS SELECT T	EXTI	JRED						
<b>SECTION 9: Physical a</b>	nd	chemical prop	perties					
		May start to solidify a for the following ingr						
Initial boiling point and		>37.78°C			gilled averag	62.74	0 (27.11	)
boiling range								
Flammability	: Not available.							
Upper/lower flammability or explosive limits	:	Not applicable.						
Flash point	- :	Closed cup: Not appl	licable. [P	oduct do	pes not sustai	in combu	stion.]	
Auto-ignition temperature	:	Ingredient name		°C	°F		Method	
		propane-1,2-diol		371	699.8			
Decomposition temperature	:	Stable under recomm	nended st	orage an	d handling co	onditions	(see Sect	ion 7).
рН		Not available.		- <b>J</b>	<b>J</b>		(	,
Viscosity	:	Kinematic (40°C): >2	21 mm²/s					
Solubility(ies)	:							
Media		Result						
cold water		Partially soluble						
Partition coefficient: n-octanol water	/:	Not applicable.						
Vapour pressure	:	In the second second	Vapour Pressure at 20°C Vapour pressure a			sure at 50°C		
		Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
		water	23.8	3.2				
Evaporation rate	:	0.01 (propane-1,2-di	ol) compa	red with	butyl acetate	·		
Relative density		1.47						
Vapour density		Highest known value 2,2,4-trimethylpenta						
Explosive properties		Not available.						
Oxidising properties Particle characteristics	- 1	Product does not pre	esent an o	kiaizing h	hazard.			
Median particle size Lead content		Not applicable. Complies with the So	uth Africa	n legal le	ead limit of 90	)ppm or le	ess	
9.2 Other information				- 3 14				
No additional information.								
SECTION 10: Stability	anc	l reactivity						
10.1 Reactivity :	No	specific test data rela	ted to rea	ctivity av	ailable for this	s product	or its ing	redients.
10.2 Chemical stability :	The	product is stable.						
10.3 Possibility of :	Unc	ler normal conditions	of storage	e and use	e, hazardous	reactions	s will not c	occur.

- hazardous reactions
- **10.4 Conditions to avoid**: When exposed to high temperatures may produce hazardous decomposition products.<br/>Refer to protective measures listed in sections 7 and 8.

Conforms	to Regulation (EC) No. 19	907/2006 (REACH), Annex II	
Code	: 12522DSA0127	Date of issue/Date of revision	: 16 May 2025
PROMINE	NT PAINTS SELECT TEX	TURED	
SECTIO	ON 10: Stability ar	nd reactivity	
10.5 Incor		eep away from the following materials to prevent strong exor xidising agents, strong alkalis, strong acids,	hermic reactions:

# 10.6 Hazardous decomposition products

: Depending on conditions, decomposition products may include the following materials: carbon oxides Formaldehyde. metal oxide/oxides

### **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

### Acute toxicity

				-	
Product/ingredien	t name	Result	Species	Dose	Exposure
propane-1,2-diol		LD50 Dermal	Rabbit	20800 mg/kg	-
		LD50 Oral	Rat	20 g/kg	-
reaction mass of: 5-chloro-		LD50 Oral	Rat	53 mg/kg	-
4-isothiazolin-3-one [EC no					
and 2-methyl-2H-isothiazol	-3-one [EC no.				
220-239-6] (3:1)					
Conclusion/Summary	: There are	no data available on the mixture	itself.		
Irritation/Corrosion					
Conclusion/Summary					
Skin	: There are r	o data available on the mixture	itself.		
Eyes	: There are r	o data available on the mixture	itself.		
Respiratory	: There are n	o data available on the mixture	itself.		
Sensitisation					
Conclusion/Summary					
Skin	: There are	no data available on the mixture	e itself.		
Respiratory	: There are	no data available on the mixture	itself.		
Mutagenicity					
<b>Conclusion/Summary</b>	: There are	no data available on the mixture	e itself.		
Carcinogenicity					
<b>Conclusion/Summary</b>	: There are	no data available on the mixture	e itself.		
Reproductive toxicity					
<b>Conclusion/Summary</b>	: There are	no data available on the mixture	itself.		
<b>Teratogenicity</b>					
<b>Conclusion/Summary</b>	: There are I	no data available on the mixture	itself.		
Specific target organ toxi	city (single expo	sure)			
Not available.					
Specific target organ toxi	city (repeated ex	(posure)			
Not available.					
Achiration bazard					
Aspiration hazard					
Not available.					
Information on likely	: Not availat	ble.			
routes of exposure					
Potential acute health effe	ects				
Inhalation	: No known	significant effects or critical haza	ards.		
Ingestion	: No known	significant effects or critical haza	ards.		
Skin contact	: May cause	an allergic skin reaction.			
Eye contact	: No known	significant effects or critical haza	ards.		

Conforms to Regulation (EC	C) No. 1907/2006 (REACH),	Annex II	
Code : 12522DSA0	127	Date of issue/Date of revision	: 16 May 2025
PROMINENT PAINTS SELE	CT TEXTURED		
<b>SECTION 11: Toxic</b>	ological informatio	n	
Symptoms related to the p	ohysical, chemical and tox	icological characteristics	
Inhalation	: No specific data.		
Ingestion	: No specific data.		
Skin contact	: Adverse symptoms m irritation redness	ay include the following:	
Eye contact	: No specific data.		
Delayed and immediate e	ffects as well as chronic e	ffects from short and long-term expos	<u>sure</u>
Short term exposure			
Potential immediate effects	: Not available.		
Potential delayed effect	ts: Not available.		
Long term exposure			
Potential immediate effects	: Not available.		
Potential delayed effect	ts : Not available.		
Potential chronic health e	ffects		
Not available.			
Conclusion/Summary	: Not available.		
General	: Once sensitized, a se very low levels.	vere allergic reaction may occur when s	ubsequently exposed to
Carcinogenicity	: No known significant	effects or critical hazards.	
Mutagenicity	: No known significant	effects or critical hazards.	
Reproductive toxicity	: No known significant	effects or critical hazards.	
Other information	: Not available.		
		Contains a substance that may emit for ratures greater than 60C/140F.	maldehyde if stored

#### **11.2 Information on other hazards**

#### **11.2.1 Endocrine disrupting properties**

Not available.

### **11.2.2 Other information**

Not available.

### **SECTION 12: Ecological information**

#### **12.1 Toxicity**

Product/ingredient name	Result	Species	Exposure
propane-1,2-diol	Acute LC50 40613 mg/l	Fish	96 hours

**Conclusion/Summary** : There are no data available on the mixture itself.

#### 12.2 Persistence and degradability

**Conclusion/Summary** : There are no data available on the mixture itself.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
propane-1,2-diol	-	-	Readily

### 12.3 Bioaccumulative potential

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II							
Code : 12522DSA0127	Date of is	sue/Date of revision	: 16 May 2025				
PROMINENT PAINTS SELECT TEXTURED							
SECTION 12: Ecological information							
Product/ingredient name	LogPow	BCF	Potential				

low

propane-1,2-diol	-1.07	-

1	2.4	Мо	bil	ity	in	soil	

Soil/water partition<br/>coefficient (Koc): Not available.Mobility: Not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### 12.6 Endocrine disrupting properties

Not available.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### **13.1 Waste treatment methods**

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	<ul> <li>The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.</li> </ul>
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

	ADR/RID	IMDG		ΙΑΤΑ	
14.1 UN number or ID number	Not regulated.	Not regulated.		Not regulated.	
14.2 UN proper shipping name	-	-		-	
14.3 Transport hazard class(es)	-	-		-	
14.4 Packing group	-	-		-	
		English (GB)	South	Africa	10/12

	(EC) No. 1907/2006 (REACH),						
Code     : 12522DSA0127     Date of issue/Date of revision     : 16 May 2025							
PROMINENT PAINTS SELECT TEXTURED							
SECTION 14: Tra	insport information						
14.5 Environmental hazards	No.	No.	No.				
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.				
IMDG : Nor IATA : Nor	ADR/RID       : None identified.         IMDG       : None identified.         IATA       : None identified.         14.6 Special precautions for       : Transport within user's premises: always transport in closed containers that are						
14.7 Transport in bulk according to IMO instruments	according to IMO						
SECTION 15: Reg	gulatory information						
15.1 Safety, health and	environmental regulations/leg	islation specific for the substa	nce or mixture				
EU Regulation (EC) No	<u>o. 1907/2006 (REACH)</u>						
Annex XIV - List of su	ibstances subject to authorisa	ation					
Annex XIV							
None of the compone							
Substances of very							
None of the compone							
Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles							
Other national and international regulations.							
Ozone depleting subs Not listed.	stances (1005/2009/EU)						
Biocidal products regulation : Contains a biocidal product; C(M)IT/MIT (3:1)							
15.2 Chemical safety assessment		sessment has been carried out.					
SECTION 16: Oth	ner information						
L							

## ✓ Indicates information that has changed from previously issued version.

Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
	1272/2008]
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
Full text of abbreviated H	
statomonts	

Conforms to Regulation (EC)	) No. 1907/2006 (REACH), Ar	inex II	
Code : 12522DSA012	27	Date of issue/Date of revision	: 16 May 2025
PROMINENT PAINTS SELEC	CT TEXTURED		
SECTION 16: Other	information		
Full text of classifications [CLP/GHS]	H317 May cause an H318 Causes seriou H330 Fatal if inhaled H400 Very toxic to ad H410 Very toxic to ad	t with skin. e skin burns and eye damage. allergic skin reaction. s eye damage. quatic life. quatic life with long lasting effects. atic life with long lasting effects.	TIC HAZARD - Category 1 TIC HAZARD - Category 3 RITATION - Category 1 - Category 1C / 1
History Date of issue/ Date of revision	: 16 May 2025		
Date of previous issue	: 15 February 2023		
Prepared by	: EHS		
Version	: 6		
Disclaimer			

#### **Disclaimer**

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.